Most Frequently Used ICD-10 Codes



ACULABS - CLINICAL DIAGNOSTIC LABORATORY TO THE MID-ATLANTIC REGION



CALL US:

732.777.2588

A MESSAGE FROM THE ACULABS MANAGEMENT TEAM:

To avoid unwarranted denials and subsequent rework for office staff, order forms must include an ICD-10 Code or patient symptoms. These symptoms or ICD-10 codes are required by certain third-party payors to confirm the medical necessity of the test(s) and/or profile(s) ordered.

The ordering physician or other authorized party is responsible for providing codes that support the medical necessity of every and every test ordered in the diagnosis and treamtent of the patient.

In order to assist client facilities in avoiding denials, we've put together a packet that is included with every lab book given to each individual nursing station unit. Included in this packet are specific ICD-10 codes most commonly used by Aculabs clients.

These codes were taken from the **2015 ICD-10 Manual** issued by the **American Medical Association**. While this list may be a useful tool, it is ultimately not meant to be a definite reference guide. The ICD-10 CM should be referenced for a complete list.

If you need more information, please refer to the AMA's ICD-10 Manual for a complete listing. The ultimate responsibility for correct coding lies with the ordering physician.

Aculabs Frequently Used ICD-10 Codes Last Updated: April 2021

	Alpha-fetoprotein
A52.74	Syphilis of liver and other viscera
B18.2	Chronic viral hepatitis C
C22.9	Malignant neoplasm of liver, not specified as primary or secondary
C56.9	Malignant neoplasm of unspecified ovary
E78.2	Mixed hyperlipidemia
E83.19	Other disorders of iron metabolism
E84.9	Cystic fibrosis, unspecified
D64.3	Other sideroblastic anemias
K70.30	Alcoholic cirrhosis of liver without ascites
K73.9	Chronic hepatitis, unspecified
K74.60	Unspecified cirrhosis of liver
R97.8	Other abnormal tumor markers

	Carcinoembryonic Antigen (CEA)
C18.9	Malignant neoplasm of colon, unspecified
C20	Malignant neoplasm of rectum
C26.0	Malignant neoplasm of intestinal tract, part unspecified
C34.90	Malignant neoplasm of unspecified part of unspecified bronchus or lung
C50.919	Malignant neoplasm of unspecified site of unspecified female breast
C56.9	Malignant neoplasm of unspecified ovary
R78.9	Finding of unspecified substance, not normally found in blood
R79.89	Other specified abnormal findings of blood chemistry
R97.0	Elevated carcinoembryonic antigen [CEA]
R97.8	Other abnormal tumor markers
Z85.3	Personal history of malignant neoplasm of breast
Z85.43	Personal history of malignant neoplasm of ovary

	Tumor Antigen Cancer CA-125
C53.0	Malignant neoplasm of endocervix
C54.9	Malignant neoplasm of corpus uteri, unspecified
C56.9	Malignant neoplasm of unspecified ovary
C57.00	Malignant neoplasm of unspecified fallopian tube
C57.4	Malignant neoplasm of uterine adnexa, unspecified
C79.60	Secondary malignant neoplasm of unspecified ovary
C79.82	Secondary malignant neoplasm of genital organs
R19.09	Other intra-abdominal and pelvic swelling, mass and lump
R97.1	Elevated cancer antigen 125 [CA 125]
R97.8	Other abnormal tumor markers

	Brain Natriuretic Peptide (BNP)
121.3	Myocardial infarction of unspecified site
150.20	Unspecified systolic (congestive) heart failure
150.30	Unspecified diastolic (congestive) heart failure
150.40	Unspecified combined systolic (congestive) and diastolic (congestive) heart failure
150.9	Heart failure, unspecified
R06.02	Shortness of breath
R06.2	Wheezing
R07.2	Precordial pain (chest/sternal pain)

	C-Reactive Protein High Sensitivity (CRP)
E78.00	Pure hypercholesterolemia, unspecified
E78.01	Familial hypercholesterolemia
E78.1	Pure hyperglyceridemia
E78.2	Mixed hyperlipidemia
E78.3	Hyperchylomicronemia (excess fats in blood)
E78.49	Other hyperlipidemia
125.10	Atherosclerotic heart disease of native coronary artery without angina pectoris (CAD)
Z74.09*	Other reduced mobility
Z78.9*	Other specified health status

^{*}Use codes Z74.09 and Z78.9 for patients at intermediate risk for CAD who do not have elevated lipids. (i.e., do not meet criteria to use codes E78.00-E78.4).

	Digoxin
E03.9	Hypothyroidism, unspecified
E83.50	Unspecified disorder of calcium metabolism
E87.8	Other disorders of electrolyte and fluid balance, not elsewhere classified
121.3	ST elevation (STEMI) myocardial infarction of unspecified site
125.10	Atherosclerotic heart disease of native coronary artery without angina pectoris (CAD)
142.9	Cardiomyopathy, unspecified
148.91	Unspecified atrial fibrillation
149.9	Cardiac arrhythmia, unspecified
150.9	Heart failure, unspecified
N19	Unspecified kidney failure
R11.2	Nausea with vomiting, unspecified
R19.7	Diarrhea, unspecified
R42	Dizziness and giddiness
R44.3	Hallucinations, unspecified
R45.0	Nervousness
R45.4	Irritability and anger
R51	Headache
R53.1	Weakness
R53.81	Other malaise (chronic discomfort)
R53.83	Other fatigue
R63.0	Anorexia

	Partial Thromboplastin Time (PTT)
A41.9	Sepsis, unspecified organism
B18.9	Chronic viral hepatitis, unspecified
D68.9	Coagulation defect, unspecified
E83.10	Disorder of iron metabolism, unspecified
G45.9	Transient cerebral ischemic attack, unspecified
148.91	Unspecified atrial fibrillation
149.9	Cardiac arrhythmia, unspecified
150.9	Heart failure, unspecified
174.9	Embolism and thrombosis of unspecified artery
180.9	Phlebitis and thrombophlebitis of unspecified site
182.90	Acute embolism and thrombosis of unspecified vein
K27.9	Peptic ulcer, site unspecified, unspecified as acute or
K27.9	chronic, without hemorrhage or perforation
K62.5	Hemorrhage of anus and rectum
K92.2	Gastrointestinal hemorrhage, unspecified
R04.1	Hemorrhage from throat
R06.02	Shortness of breath
R31.9	Hematuria, unspecified (blood in urine)
R55	Syncope and collapse (fainting)
R79.1	Abnormal coagulation profile
Z79.01	Long term (current) use of anticoagulants

	Prothrombin Time (PT)
D50.9	Iron deficiency anemia, unspecified
D68.9	Coagulation defect, unspecified
D69.2	Other nonthrombocytopenic purpura
D69.6	Thrombocytopenia, unspecified (low platelets)
E44.0	Moderate protein-calorie malnutrition
E46	Unspecified protein-calorie malnutrition
F01.50	Vascular dementia without behavioral disturbance
G45.9	Transient cerebral ischemic attack, unspecified
G81.90	Hemiplegia, unspecified affecting unspecified side
105.9	Rheumatic mitral valve disease, unspecified
120.9	Angina pectoris, unspecified (chest pain related to heart)
121.3	ST elevation (STEMI) myocardial infarction of unspecified site
125.10	Atherosclerotic heart disease of native coronary artery
125.10	without angina pectoris (CAD)
135.9	Nonrheumatic aortic valve disorder, unspecified
146.9	Cardiac arrest, cause unspecified
148.91	Unspecified atrial fibrillation
150.9	Heart failure, unspecified
167.89	Other cerebrovascular disease

	Prothrombin Time (PT) (continued)
173.9	Peripheral vascular disease, unspecified
174.9	Embolism and thrombosis of unspecified artery
177.6	Arteritis, unspecified (inflammation of an artery)
180.9	Phlebitis and thrombophlebitis of unspecified site
182.409	Acute embolism and thrombosis of unspecified deep veins of unspecified lower extremity
182.90	Acute embolism and thrombosis of unspecified vein
K62.5	Hemorrhage of anus and rectum
K92.2	Gastrointestinal hemorrhage, unspecified
M79.609	Pain in unspecified limb
R00.1	Bradycardia, unspecified (irregular heartbeat <60 bpms)
R04.2	Hemoptysis (blood-stained sputum)
R06.02	Shortness of breath
R07.9	Chest pain, unspecified
R10.9	Unspecified abdominal pain
R16.0	Hepatomegaly, not elsewhere classified (enlarged liver)
R17	Unspecified Jaundice
R31.9	Hematuria, unspecified (blood in urine)
R55	Syncope and collapse (fainting)
R58	Hemorrhage, not elsewhere classified
R60.9	Edema, unspecified
R79.1	Abnormal coagulation profile
Z79.01	Long term (current) use of anticoagulants

	Hemogram (CBC)
B99.9	Unspecified infectious disease
C80.1	Malignant (primary) neoplasm, unspecified
D64.9	Anemia, unspecified
E03.9	Hypothyroidism, unspecified
E11.9	Type 2 diabetes mellitus without complications
E56.9	Vitamin deficiency, unspecified
E63.9	Nutritional deficiency, unspecified
110	Essential (primary) hypertension
150.9	Heart failure, unspecified
182.409	Acute embolism and thrombosis of unspecified deep veins of unspecified lower extremity
100	Acute nasopharyngitis (common cold)
J44.9	Chronic obstructive pulmonary disease, unspecified
144.9	, , , ,
K27.9	Peptic ulcer, site unspecified, unspecified as acute or
	chronic, without hemorrhage or perforation
L08.9	Local infection of the skin and subcutaneous tissue,
	unspecified
M25.50	Pain in unspecified joint
R23.1	Pallor
R31.9	Hematuria, unspecified (blood in urine)
R50.9	Fever, unspecified
R53.81	Other malaise (chronic discomfort)
R53.83	Other fatigue
R63.4	Abnormal weight loss
R63.5	Abnormal weight gain
R71.8	Other abnormality of red blood cells
Z79.01	Long term (current) use of anticoagulants
Z79.899	Other long term (current) drug therapy

^{**}Signify diagnosis codes exempt from Group 1 codes one per calendar year frequency limit, given their status as substance use disorder (SUD) codes.

	Drug Screening
F10.120**	Alcohol dependence, uncomplicated
F19.20**	Other psychoactive substance dependence, uncomplicated
F20.0	Paranoid schizophrenia
F20.89	Other schizophrenia
F55.4	Abuse of vitamins
M25.50	Pain in unspecified joint
M54.2	Cervicalgia (pain in neck/spine)
M54.5	Low back pain
M79.11	Myalgia of mastication muscle
R40.0	Somnolence (sleepiness)
R40.1	Stupor
R41.0	Disorientation, unspecified
R41.82	Altered mental status, unspecified
R44.3	Hallucinations, unspecified
R56.9	Unspecified convulsions

	Blood Glucose Testing#
A41.9	Sepsis, unspecified organism
E05.00	Thyrotoxicosis with diffuse goiter without thyrotoxic crisis
	or storm
E10.9	Type 1 diabetes mellitus without complications (Insulin
	Dependent)
E11.9	Type 2 diabetes mellitus without complications (Non-Insulin
E11.9	Dependent)
E16.2	Hypoglycemia, unspecified
E44.0	Moderate protein-calorie malnutrition
E46	Unspecified protein-calorie malnutrition
E78.00	Pure hypercholesterolemia, unspecified
E78.1	Pure hyperglyceridemia
E78.49	Other hyperlipidemia
E86.0	Dehydration
F29	Unspecified psychosis not due to a substance or known
F23	physiological condition
121.3	ST elevation (STEMI) myocardial infarction of unspecified
121.3	site
170.90	Unspecified atherosclerosis (hardening/narrowing of artery)
J18.9	Pneumonia, unspecified organism
J40	Bronchitis, not specified as acute or chronic
K29.70	Gastritis, unspecified, without bleeding
K29.71	Gastritis, unspecified, with bleeding
L98.499	Non-pressure chronic ulcer of skin of other sites with
130.433	unspecified severity
N39.0	Urinary tract infection, site not specified
R00.0	Tachycardia, unspecified (irregular heartbeat >100 bpms)
R06.00	Dyspnea, unspecified (difficult, labored breathing)
R07.9	Chest pain, unspecified
R19.7	Diarrhea, unspecified
R40.20	Unspecified coma
R53.81	Other malaise (chronic discomfort)
R53.83	Other fatigue
R55	Syncope and collapse (fainting)
R56.9	Unspecified convulsions
R63.4	Abnormal weight loss
R63.5	Abnormal weight gain
R73.9	Hyperglycemia, unspecified
R79.9	Abnormal finding of blood chemistry, unspecified
Z79.4	Long term (current) use of insulin
Z79.899	Other long term (current) drug therapy

Glycohemoglobin (Hba1c)	
E10.9	Type 1 diabetes mellitus without complications (Insulin
	Dependent)
E11.9	Type 2 diabetes mellitus without complications (Non-Insulin
	Dependent)
E16.2	Hypoglycemia, unspecified
E83.119	Hemochromatosis, unspecified (iron overload)
E83.19	Other disorders of iron metabolism
R73.09	Other abnormal glucose
R73.9	Hyperglycemia, unspecified
Z79.4	Long term (current) use of insulin
Z79.899	Other long term (current) drug therapy

^{# -} In stable, nonhospitalized patients unable or unwilling to do home monitoring, it may necessary to measure quantitative blood glucose up to 4 times a year. Depending upon patient's age, type of diabetes, complications, degree of control, and other co-morbid conditions, more frequent testing than 4 times a year may be reasonable and necessary.

	Gamma Glutamyl Transferase (GGT)
A41.9	Sepsis, unspecified organism
A52.74	Syphilis of liver and other viscera
A69.20	Lyme disease, unspecified
B19.9	Unspecified viral hepatitis without hepatic coma
B20	Human immunodeficiency virus [HIV] disease
E10.9	Type 1 diabetes mellitus without complications (Insulin
L10.5	Dependent)
E11.9	Type 2 diabetes mellitus without complications (Non-Insulin
	Dependent)
E46	Unspecified protein-calorie malnutrition
E78.49	Other hyperlipidemia
E78.9	Disorder of lipoprotein metabolism, unspecified
E83.50	Unspecified disorder of calcium metabolism
F19.20	Other psychoactive substance dependence, uncomplicated
182.90	Acute embolism and thrombosis of unspecified vein
182.91	Chronic embolism and thrombosis of unspecified vein
K76.9	Liver disease, unspecified
N15.9	Renal tubulo-interstitial disease, unspecified
N17.9	Acute kidney failure, unspecified
N18.6	End stage renal disease
N19	Unspecified kidney failure
R16.0	Hepatomegaly, not elsewhere classified (enlarged liver)
R17	Unspecified jaundice
R74.9	Abnormal serum enzyme level, unspecified
Z79.01	Long term (current) use of anticoagulants
Z79.899	Other long term (current) drug therapy

	Hepatitis Panel
A92.5	Zika virus disease
B17.8	Other specified acute viral hepatitis
B17.9	Acute viral hepatitis, unspecified
B18.2	Chronic viral hepatitis C
B18.9	Chronic viral hepatitis, unspecified
K71.9	Toxic liver disease, unspecified
K74.0	Hepatic fibrosis
K74.60	Unspecified cirrhosis of liver
K75.0	Abscess of liver
K75.9	Inflammatory liver disease, unspecified
R10.84	Generalized abdominal pain
R10.9	Unspecified abdominal pain
R11.0	Nausea
R11.10	Vomiting, unspecified
R17	Unspecified jaundice
R53.1	Weakness
R53.81	Other malaise (chronic discomfort)
R53.83	Other fatigue
R63.4	Abnormal weight loss
R63.5	Abnormal weight gain
T86.40	Unspecified complication of liver transplant

	Prostate Specific Antigen (PSA)
C61	Malignant neoplasm of prostate
C67.5	Malignant neoplasm of bladder neck
D07.5	Carcinoma in situ of prostate
N32.0	Bladder-neck obstruction
N40.0	Benign prostatic hyperplasia without lower urinary tract
	symptoms
N40.1	Benign prostatic hyperplasia with lower urinary tract
	symptoms
N41.9	Inflammatory disease of prostate, unspecified
N42.9	Disorder of prostate, unspecified
R31.0	Gross hematuria
R31.9	Hematuria, unspecified (blood in urine)
R32	Unspecified urinary incontinence
R33.9	Retention of urine, unspecified
R35.0	Frequency of micturition
R35.1	Nocturia
R39.12	Poor urinary stream
R39.14	Feeling of incomplete bladder emptying
R39.15	Urgency of urination
R39.16	Straining to void
R97.20	Elevated prostate specific antigen [PSA]

	Lipids Testing
E03.9	Hypothyroidism, unspecified
E10.9	Type 1 diabetes mellitus without complications
E11.9	Type 2 diabetes mellitus without complications
E44.0	Moderate protein-calorie malnutrition
E46	Unspecified protein-calorie malnutrition
E66.01	Morbid (severe) obesity due to excess calories
E66.9	Obesity, unspecified
E78.00	Pure hypercholesterolemia, unspecified
E78.49	Other hyperlipidemia
E78.9	Disorder of lipoprotein metabolism, unspecified
F10.20	Alcohol dependence, uncomplicated
G45.9	Transient cerebral ischemic attack, unspecified
I10	Essential (primary) hypertension
120.9	Angina pectoris, unspecified (chest pain related to heart)
121.09	ST elevation (STEMI) myocardial infarction involving other
121.09	coronary artery of anterior wall
125.10	Atherosclerotic heart disease of native coronary artery
123.10	without angina pectoris
150.9	Heart failure, unspecified
I51.9	Heart disease, unspecified
170.90	Unspecified atherosclerosis (hardening/narrowing of artery)
174.9	Embolism and thrombosis of unspecified artery
K76.9	Liver disease, unspecified
K86.9	Disease of pancreas, unspecified
L40.9	Psoriasis, unspecified
N18.6	End stage renal disease
N18.9	Chronic kidney disease, unspecified
R07.9	Chest pain, unspecified
R79.9	Abnormal finding of blood chemistry, unspecified

	Serum Iron Studies
B20	Human immunodeficiency virus [HIV] disease
D50.9	Iron deficiency anemia, unspecified
D64.9	Anemia, unspecified
E10.9	Type 1 diabetes mellitus without complications
E11.9	Type 2 diabetes mellitus without complications
E44.0	Moderate protein-calorie malnutrition
E61.1	Iron deficiency
E83.10	Disorder of iron metabolism, unspecified
142.9	Cardiomyopathy, unspecified
148.91	Unspecified atrial fibrillation
150.9	Heart failure, unspecified
K25.0	Acute gastric ulcer with hemorrhage
K27.9	Peptic ulcer, site unspecified, unspecified as acute or
K27.9	chronic, without hemorrhage or perforation
K62.5	Hemorrhage of anus and rectum
K74.60	Unspecified cirrhosis of liver
K76.9	Liver disease, unspecified
K90.0	Celiac disease
K92.2	Gastrointestinal hemorrhage, unspecified
M25.50	Pain in unspecified joint
N19	Unspecified kidney failure
R00.1	Bradycardia, unspecified (irregular heartbeat <60 bpms)
R71.8	Other abnormality of red blood cells
R79.9	Abnormal finding of blood chemistry, unspecified

	Erythrocyte Sedimentation Rate (ESR)
A41.9	Sepsis, unspecified organism
E78.5	Hyperlipidemia, unspecified
F03.90	Unspecified dementia without behavioral disturbance
I10	Essential (primary) hypertension
148.91	Unspecified atrial fibrillation
N39.0	Urinary tract infection, site not specified
R79.9	Abnormal finding of blood chemistry, unspecified

	Thyroid Testing ◊
D64.9	Anemia, unspecified
E03.9	Hypothyroidism, unspecified
E05.00	Thyrotoxicosis with diffuse goiter without thyrotoxic crisis or storm
E07.9	Disorder of thyroid, unspecified
E10.9	Type 1 diabetes mellitus without complications
E11.9	Type 2 diabetes mellitus without complications
E44.0	Moderate protein-calorie malnutrition
E78.5	Hyperlipidemia, unspecified
F03.90	Unspecified dementia without behavioral disturbance
F22	Delusional disorders
F30.9	Manic episode, unspecified
F31.9	Bipolar disorder, unspecified
F32.9	Major depressive disorder, single episode, unspecified
F41.9	Anxiety disorder, unspecified
G30.9	Alzheimer's disease, unspecified
I10	Essential (primary) hypertension
148.91	Unspecified atrial fibrillation
150.9	Heart failure, unspecified
K59.00	Constipation, unspecified
R07.0	Pain in throat
R41.3	Other amnesia
R50.9	Fever, unspecified
R53.1	Weakness
R53.81	Other malaise (chronic discomfort)
R53.83	Other fatigue
R60.9	Edema, unspecified
R63.4	Abnormal weight loss
R63.5	Abnormal weight gain
R94.6	Abnormal results of thyroid function studies

	Fecal Occult Blood
C95.90	Leukemia, unspecified not having achieved remission
D01.0	Carcinoma in situ of colon
D01.2	Carcinoma in situ of rectum
D01.9	Carcinoma in situ of digestive organ, unspecified
D64.9	Anemia, unspecified
D68.9	Coagulation defect, unspecified
K57.90	Diverticulosis of intestine, part unspecified, without
K57.90	perforation or abscess without bleeding
K57.91	Diverticulosis of intestine, part unspecified, without
K57.91	perforation or abscess with bleeding
K59.00	Constipation, unspecified
K62.5	Hemorrhage of anus and rectum
K64.9	Unspecified hemorrhoids
K76.9	Liver disease, unspecified
K90.0	Celiac disease
K92.2	Gastrointestinal hemorrhage, unspecified
R10.9	Unspecified abdominal pain
R11.0	Nausea
R11.10	Vomiting, unspecified
R11.2	Nausea with vomiting, unspecified
R13.10	Dysphagia, unspecified (difficulty in swallowing)
R19.5	Other fecal abnormalities
R19.7	Diarrhea, unspecified
D10.0	Other specified symptoms and signs involving the digestive
R19.8	system and abdomen
R53.1	Weakness
R53.81	Other malaise (chronic discomfort)
R53.83	Other fatigue
R63.0	Anorexia
R63.4	Abnormal weight loss
R79.1	Abnormal coagulation profile
Z79.82	Long term (current) use of aspirin
Z79.899	Other long term (current) drug therapy

 $[\]Diamond$ - Testing may be covered up to two times a year in clinically stable patients; more frequent testing may be reasonable and necessary for patients whose thyroid therapy has been altered or in whom symptoms or signs of hyperthyroidism or hypothyroidism are noted.

	HIV-Testing
A53.9	Syphilis, unspecified
A64	Unspecified sexually transmitted disease
A74.9	Chlamydial infection, unspecified
B07.9	Viral wart, unspecified
B20	Human immunodeficiency virus [HIV] disease
B86	Scabies
D64.9	Anemia, unspecified
D72.89	Other specified disorders of white blood cells
E44.0	Moderate protein-calorie malnutrition
E46	Unspecified protein-calorie malnutrition
142.9	Cardiomyopathy, unspecified
J18.9	Pneumonia, unspecified organism
L40.9	Psoriasis, unspecified
R05	Cough
R06.02	Shortness of breath
R09.3	Abnormal sputum
R19.7	Diarrhea, unspecified
R50.9	Fever, unspecified
R53.1	Weakness
R53.81	Other malaise (chronic discomfort)
R53.83	Other fatigue
R59.9	Enlarged lymph nodes, unspecified
R63.4	Abnormal weight loss
R68.83	Chills (without fever)
Z20.6	Contact with and (suspected) exposure to human
220.0	immunodeficiency virus [HIV]
Z20.828	Contact with and (suspected) exposure to other viral
220.028	communicable diseases

	RPR, Qualitative-Syphilis Test
A50.2	Early congenital syphilis, unspecified
A63.0	Anogenital (venereal) warts
A64	Unspecified sexually transmitted disease
B20	Human immunodeficiency virus [HIV] disease
F03.90	Unspecified dementia without behavioral disturbance
F09	Unspecified mental disorder due to known physiological
103	condition
F29	Unspecified psychosis not due to a substance or known
123	physiological condition
G30.9	Alzheimer's disease, unspecified
M32.9	Systemic lupus erythematosus, unspecified
R21	Rash and other nonspecific skin eruption
R50.9	Fever, unspecified
R51	Headache
R53.1	Weakness
R63.4	Abnormal weight loss
R68.89	Other general symptoms and signs
Z20.828	Contact with and (suspected) exposure to other viral
220.828	communicable diseases

	Urine Culture
A41.9	Sepsis, unspecified organism
J80	Acute respiratory distress syndrome
M54.9	Dorsalgia, unspecified (disease related to back pain)
N39.0	Urinary tract infection, site not specified
N40.0	Benign prostatic hyperplasia without lower urinary tract symptoms
N42.9	Disorder of prostate, unspecified
R10.9	Unspecified abdominal pain
R30.0	Dysuria (scalding pain during urination)
R31.9	Hematuria, unspecified (blood in urine)
R39.9	Unspecified symptoms and signs involving the genitourinary
N33.3	system
R41.3	Other amnesia
R41.82	Altered mental status, unspecified
R50.9	Fever, unspecified
R53.1	Weakness
R53.81	Other malaise (chronic discomfort)
R53.83	Other fatigue
R68.89	Other general symptoms and signs
R78.81	Bacteremia (bacteria in bloodstream)
R82.90	Unspecified abnormal findings in urine

Parathyroid Hormone (PTH)		
E20.9	Hypoparathyroidism, unspecified	
E21.3	Hyperparathyroidism, unspecified	
E56.9	Vitamin deficiency, unspecified	
E83.51	Hypocalcemia	
E83.52	Hypercalcemia	
M81.0	Age-related osteoporosis without current pathological	
	fracture	
R29.0	Tetany (tetanic seizures)	

Vitamin B12†		
D51.9	Vitamin B12 deficiency anemia, unspecified	
E46	Unspecified protein-calorie malnutrition	
E53.8	Deficiency of other specified B group vitamins	
F03.90	Unspecified dementia without behavioral disturbance	
G30.9	Alzheimer's disease, unspecified	
K90.0	Celiac disease	
R26.9	Unspecified abnormalities of gait and mobility	
R27.9	Unspecified lack of coordination	
R41.3	Other amnesia	
R41.82	Altered mental status, unspecified	


	Vitamin D‡
E55.9	Vitamin D deficiency, unspecified
E83.51	Hypocalcemia
E83.52	Hypercalcemia
K50.90	Crohn's disease, unspecified, without complications
K50.919	Crohn's disease, unspecified, with unspecified complications
K70.30	Alcoholic cirrhosis of liver without ascites
K74.60	Unspecified cirrhosis of liver
K90.0	Celiac disease
L40.9	Psoriasis, unspecified
M32.9	Systemic lupus erythematosus, unspecified
M81.0	Age-related osteoporosis without current pathological
	fracture
M89.9	Disorder of bone, unspecified
M94.9	Disorder of cartilage, unspecified

COVID-19 RT-PCR		
B34.2	Coronavirus infection, unspecified	
В97.29 [⋄]	Other coronavirus as the cause of diseases classified	
	elsewhere	
J12.82	Pneumonia due to COVID-19	
J12.89	Other viral pneumonia	
J20.8	Acute bronchitis due to other specified organisms	
J22	Unspecified acute lower respiratory infection	
J40	Bronchitis, not specified as acute or chronic	
J80	Acute respiratory distress syndrome	
J98.8	Other specified respiratory disorders	
M35.81	Multisystem inflammatory syndrome	
M35.89	Other specified systemic involvement of connective tissue	
R05	Cough	
R06.02	Shortness of breath	
R50.9	Fever, unspecified	
Z03.818	Encounter for observation for suspected exposure to other	
203.818	biological agents ruled out	
Z11.52	Encounter for screening for COVID-19	
Z20.822	Contact with and (suspected) exposure to COVID-19	
Z20.828	Contact with and (suspected) exposure to other viral	
	communicable diseases	
Z86.16	Personal history of COVID-19	

	D-Dimer Quantitative
D64.9	Anemia, unspecified
D68.8	Other specified coagulation defects
D68.9	Coagulation defect, unspecified
E03.9	Hypothyroidism, unspecified
E78.4	Other hyperlipidemia
E78.5	Hyperlipidemia, unspecified
G93.3	Postviral fatigue syndrome
I10	Essential (primary) hypertension
150.9	Heart failure, unspecified
J44.9	Chronic obstructive pulmonary disease, unspecified
R06.00	Dyspnea, unspecified (difficult, labored breathing)
R06.02	Shortness of breath
R06.09	Other forms of dyspnea
R06.3	Periodic breathing
R06.83	Snoring
R06.89	Other abnormalities of breathing
R07.2	Precordial pain (chest/sternal pain)
R07.9	Chest pain, unspecified
R53.1	Weakness
R53.81	Other malaise (chronic discomfort)
R53.83	Other fatigue
R60.0	Localized edema
R60.1	Generlaized edema
R60.9	Edema, unspecified
Z79.01	Long term (current) use of anticoagulants

Notes Summarized:

- * Use codes Z74.09 and Z78.9 for patients at intermediate risk for CAD who do not have elevated lipids. (i.e., do not meet criteria to use codes E78.00-E78.49).
- ** Signify diagnosis codes exempt from Group 1 codes one per calendar year frequency limit, given their status as substance use disorder (SUD) codes.
- # In stable, nonhospitalized patients unable or unwilling to do home monitoring, it may necessary to measure quantitative blood glucose up to 4 times a year. Depending upon patient's age, type of diabetes, complications, degree of control, and other co-morbid conditions, more frequent testing than 4 times a year may be reasonable and necessary.
- ♦ Testing may be covered up to two times a year in clinically stable patients; more frequent testing may be reasonable and necessary for patients whose thyroid therapy has been altered or in whom symptoms or signs of hyperthyroidism or hypothyroidism are noted.
- † Following a review of utilization data at various percentiles of units billed per year, the following frequency limitations are established and are as follows: Vitamin B12-up to 3 times per year.
- ‡ Following a review of utilization data at various percentiles of units billed per year, the following frequency limitations are established and are as follows: Vitamin D 25-Hydroxy -up to 3 times per yr Vitamin D 1,25-Dihydroxy-up to 2 time per year.
- ♦♦ The code B97.29 can only be used in conjunction with the following diagnoses: J12.89, J20.8, J22, J40, J80, J98.8.



2 Kennedy Boulevard, East Brunswick, NJ 08816 www.aculabs.com

P: 732.777.2588 **F:** 732.839.1016